

Official Use Only	
Fee	
On-Line Receipt No.	
C&D Receipt No.	
Licence No.	

Customer Use
On-line Receipt No.
RF: 497788
91462.

ESTABLISHMENTS FOR SPECIAL TREATMENTS

This form should be completed and forwarded to London Borough of Tower Hamlets Environmental Health Department, with a cheque or postal order for the fee due made payable to the London Borough of Tower Hamlets and crossed.

Copies of this application will be sent by us to:-

- (a) Commissioner of Police
- (b) The London Fire and Emergency Planning Authority,

renewal

for licence for the premises named at 2 below.

TRADING STANDARDS &

19 DEC 2018

ENVIRONMENTAL HEALTH
(COMMERCIAL)

<p>1. Full names and private address of applicants. If the application is made by a limited liability company please give the address of the registered office, and complete the separate sheet which seeks details of the company.</p>	<p>Name: Ying Zhou Maiden name (if applicable): Address (private): [Redacted] Date of birth: [Redacted] Telephone No: [Redacted] Passport No: [Redacted] OR NI No: S [Redacted]</p>
<p>2. Trade name and address of premises</p>	<p>Name: OASIS SPA Address: 1 White's Row London E1 7NF Telephone No: [Redacted] Email: [Redacted] Opening hours (proposed) 11:00 Am - 9:00 Pm</p>
<p>3. Please supply details of person responsible for the management of the establishment if other than the applicant.</p>	<p>Full Name: Address (private): Date of birth: Telephone No: Passport No:</p>

Please enclose 2 passport-sized photographs of applicant	OR NI No: Enclosed (tick if applicable)
Do you have planning permission to use the premises for the Intended purpose?	<input checked="" type="checkbox"/> Yes / No (see K on Note) Please note that you will require su1 genris
4. (a) Is it proposed to employ staff at the establishment? (b) If so state numbers	(a) <input checked="" type="checkbox"/> YES / NO (b) 3
5. (a) What is the legal title of the applicant(s) to occupy the premises (e.g. freehold, leasehold etc.) (b) If leasehold please give details of the name and address of the landlord.	(a) leasehold (b) [REDACTED] 4/
6. What parts of the building is it proposed to use under the licence (e.g. basement, ground floor) ?	ground floor
7. State precisely <u>all</u> the treatments for which the licence is intended e.g. massage, manicure, acupuncture, ear or cosmetic piercing, tattooing, chiropody, light electric or other special treatments.	<div style="display: flex; justify-content: space-between;"> <div> massage Hot Stone Indian head massage Thai massage body massage </div> <div> Acupuncture Tui Na Facials Deep Tissue </div> </div>
8. State whether it is desired to give treatment to both sexes or to men or women only?	men and women
9. State whether exemption from condition 7 is required (see note J) for massage purpose only.	N/A
10. Address of any other massage etc., establishment in which applicant or any director of an applicant company is or has been interested and the nature and extent of such interest as (a) Owner or director of owning company; or (b) employee	Address: (a) DIRECTOR (b)

<p>11. (a) Does applicant propose to carry on a visiting massage service either from these premises or elsewhere?</p> <p>(b) If elsewhere, please state address(es) concerned.</p> <p>(c) Will the masseuses employed on this service also give treatment on the licensed premises?</p>	<p>(a) NO</p> <p>(b) N/A</p> <p>(c) N/A</p>
<p>12. Please indicate whether the following are enclosed with your application. (A licence cannot be issued without them. These can be provided at a later stage)</p> <p>If you are in the process of employing therapists please indicate this on the form. Once suitable therapists are selected, current qualifications for each operative and photographs will be required before a license can be issued.</p>	<p><input type="checkbox"/> Electrical inspection certificate for portable appliances, as requested under the Electricity at Work Regulations 1989</p> <p><input type="checkbox"/> Two passport-sized photographs of applicant and operators</p> <p><input type="checkbox"/> Copies of each operator's current qualifications under the conditions of licence</p> <p><input type="checkbox"/> A copy of the customer vetting/history card</p> <p><input type="checkbox"/> Copies of the current treatment list and price list</p> <p><input type="checkbox"/> Third-party insurance (advisable to have)</p> <p><input type="checkbox"/> Cheque/PO for £338.00 / £544.00 (for IPL with or without other treatments) made payable to the London Borough of Tower Hamlets (cheques must not be drawn on thlrd parties). If you have paid using the Council's online payment facility, please enter the payment reference number in the box on the front of the application form.</p> <p><input type="checkbox"/> Copy of Public Notice placed in Newspaper.</p>

13. DETAILS OF PREVIOUS CONVICTIONS, DISQUALIFICATION ETC.

In respect of the persons or bodies whose names are given in response to Questions 1 and 3 give details of their previous convictions (with exception of traffic offences).

SURNAME	FORMER NAME	DATE OF CONVICTION	PLACE OF CONVICTION	NATURE OF OFFENCE	PENALTY IMPOSED

14. Please list all people who will be giving treatment, the treatment they will be giving and their qualifications to give that treatment (See Notes H, I and J).

NAME	TREATMENT(S)	QUALIFICATIONS AND COLLEGE ATTENDED (enclose certificates)	HOME ADDRESS	DATE OF BIRTH	PLACE OF BIRTH
[REDACTED]	Acupuncture Tui Na	VTCT/level 3	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	Beautician and massage	VTCT/level 3 deep tissue	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	Thai massage	VTCT/level 3	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	Full Body massage	level 3	[REDACTED]	[REDACTED]	[REDACTED]



Where application is made on behalf of a limited liability company the secretary or a director should sign. In the case of a partnership, each partner should sign. In signing on behalf of applicant, please state in what capacity you are acting.

Signature of applicant(s)
or applicants solicitor or other duly authorised agent.

Date 10/12/2018 Telephone No ...

Note: Payment cheques must not be drawn on a third party

Address to which licence application or correspondence should be sent:
Mr D Tolley
Environmental Health and Trading Standards - Health and Safety Team
John Onslow House
1 Ewart Place
London
E3 5EQ

DATA PROTECTION

This fair obtaining statement advises the applicant /person completing this form that it may be necessary to divulge the information contained to third parties or other statutory consultees at the permission of the Council.

PART 4

TO BE COMPLETED IN RESPECT OF A LIMITED COMPANY BY A NOMINATED DIRECTOR

Full name of Limited Company	redbud(London) LTD
Registered Office address of Limited Company	1 whites Row London E1 7NF
Telephone number	020-7392 8899
Registered Company number	9636831
Names of all Directors and position.	Ying Zhou Director
Are any of the Directors involved with other companies that hold a Special Treatments Licence? Please detail.	No
Does the Limited Company have licensed premises elsewhere?	No
If so, please detail.	

This form has been completed by

Ying Zhou (name)
 director (position)
 (signature)
 10/12/2018 (date)



Certificate of Employers' Liability Insurance^(a)

(Where required by regulation 5 of the Employers' Liability (Compulsory Insurance) Regulations 1998 (the Regulations), one or more copies of this certificate must be displayed at each place of business at which the policy holder employs persons covered by the policy)

Policy No: ISCOMBL22808579

1. Name of policy Holder: Redbud (London)
2. Date of commencement of insurance policy: 09/02/2018
3. Date of expiry of insurance policy: 08/02/2019

We hereby certify that subject to paragraph 2:-

1. the policy to which this certificate relates satisfies the requirements of the relevant law applicable in Great Britain, Northern Ireland, the Isle of Man, the Island of Jersey, the Island of Guernsey and the Island of Alderney, or to offshore installations in any waters outside the United Kingdom to which the Employers' Liability (Compulsory Insurance) Act 1969 or any amending primary legislation applies(b); and
2. (a) the minimum amount of cover provided by this policy is no less than GBP5,000,000 (c); or
(b) the cover provided under this policy relates to claims in excess of GBP0 but not exceeding GBP10,000,000

Signed on behalf of those Lloyd's Underwriters subscribing to the above policy (Authorised Insurers)

Signature

Mark Morgan, Managing Director, Intasure

- (a) Where the employer is a company to which regulation 3(2) of the Regulations applies, the certificate shall state in a prominent place, either that the policy covers the holding company and all its subsidiaries, or that the policy covers the holding company and all its subsidiaries except any specifically excluded by name, or that the policy covers the
- (b) holding company and only the named subsidiaries.
- (c) Specify applicable law as provided for in regulation 4(6) of the Regulations.
See regulation 3(1) of the Regulations and delete whichever of paragraphs 2(a) or 2(b) does not apply. Where 2(b) is applicable, specify the amount of cover provided by the relevant policy.

A copy of the certificate must be displayed at all places where you employ persons covered by the policy. THE EMPLOYERS' LIABILITY (COMPULSORY INSURANCE) (AMENDMENT) REGULATIONS 2008 permits the display of this certificate in an electronic form, provided persons covered by this policy have reasonable access to it.

Note: The information below this line does not form part of the statutory certificate. Those Underwriters at Lloyd's on whose behalf this certificate is issued require the following information to be entered by the issuing intermediary:

Name and address of issuing intermediary:

Intasure, AMP House, Dingwall Road, Croydon, CR0 2LX

Issuing intermediary's reference:
(if different from the Policy Number stated above)

TCMA EL Cert (12/16)



NAPIT Electrical Installation Condition Report

Requirements for Electrical Installations –
BS 7671:2008 Incorporating Amendment No.3, 2015
(IET Wiring Regulations 17th Edition)

NA/ 130126
EICR

Page 1 of 4

A Details of the installation

Client
Address

Installation (if different from client)
Address

Postcode

Postcode

B Reason for producing this report

This form to be used only for reporting on the condition of an existing installation.
CHANGES OF OCCUPIER

Date(s) on which the inspection and testing were carried out **7/3/2016** to **7/3/2016**

C Details of the installation which is the subject of this report

Description of premises Domestic Commercial ☒ Industrial Other (please state)

Estimated age of the wiring system **5** years

Evidence of alterations or additions Yes ☒ No ☒ Not apparent

If 'Yes', estimated years

Records of installation available (Regulation 621.1) Yes ☒ No Records held by

Date of last inspection

Electrical Installation Certificate No. or previous Inspection Report No.

D Extent and limitations of inspection and testing

Extent of electrical installation covered by this report

NO LIMITATION ACCESS ROOF SPACE.

Agreed limitations (See Regulations 634.2) Agreed with:

Operational limitations including the reasons (see page no. of)

The inspection and testing detailed in this report and accompanying schedule has been carried out in accordance with BS 7671: 2008 (IET Wiring Regulations), amended to **2011** (date)

It should be noted that cables concealed within the trunkings and conduits under floors, in roof spaces and generally within the fabric of the building or underground have not been inspected unless specifically agreed between the client and inspector prior to the inspection. An inspection should be made within an accessible roof space housing other electrical equipment

E Summary of the condition of the installation

General conditions of the installation (in terms of safety)

GOOD

Overall assessment of the installation in terms of its suitability for continued use

SATISFACTORY ☒

UNSATISFACTORY*

* An UNSATISFACTORY assessment indicates that dangerous (code C1) and/or potentially dangerous (code C2) conditions have been identified

F Recommendations

Where the overall assessment of the suitability of the installation for continued use above is stated as UNSATISFACTORY, we recommend that any observations classified as 'Danger present' (code C1) or 'Potentially dangerous' (code C2) are acted upon as a matter of urgency. Investigation without delay is recommended for observations identified as 'further investigation required' (code FI). Observations classified as 'Improvement recommended' (code C3) should be given due consideration. Subject to the necessary remedial action being taken, we recommend that the installation is further inspected and tested by **SEA** (date) **7/3/2021**

G Declaration

I/We, being the person(s) responsible for the inspection and testing of the electrical installation (as indicated by my/our signatures below), particulars of which are described above, having exercised reasonable skill and care when carrying out the inspection and testing, hereby declare that the information in this report, including the observations and the attached schedules, provides an accurate assessment of the condition of the electrical installation taking into account the stated extent and limitations in section D of this report

Company

Membership No.

Address

Postcode

Name

Signature

Position

Date

Inspected and tested by

Authorised for issue by

H Schedule(s)

schedule(s) of inspection and

schedule(s) of test results are attached.

The attached schedule(s) are part of this document and this report is valid only when they are attached to it

This form is based on the requirements of Appendix 6 of BS 7671

NAPIT Administration Centre, 4th Floor, Mill 3, Pleasley Vale Business Park, Mansfield, Nottinghamshire NG19 8RL

Sheet 1 of 2 NA/EICR/001 (V3)



NAPIT Electrical Installation Condition Report

Requirements for Electrical Installations –
BS 7671:2008 incorporating Amendment No.3, 2015
[IET Wiring Regulations 17th Edition]

NA/ 130126
EICR

Page 2 of 4

Supply characteristics and earthing arrangements

Tick boxes and enter details, as appropriate

Earthing Arrangements TN-S ☐ TN-C-S ☒ TT ☐ Other: Please specify

Number & type of live conductors a.c. ☒ d.c. ☐ No of phases 2 No of wires 1

Nature of Supply Parameters (Note: (i) by enquiry, (f) by enquiry or by measurement)

Nominal voltage, U_0/U_n (i) 230 v Nominal frequency, f (i) 50 Hz Confirmation of supply polarity ☒

Prospective fault current, I_{pf} (i) 2.5 kA External loop impedance, Z_e (i) 0.09 Ω

Supply Protective Device BS(EN) 1361 Type 1 Rated Current 111A

Other Sources of Supply (as detailed on attached schedule)

Particulars of Installation referred to in this report

Tick boxes and enter details, as appropriate

Means of Earthing Distributor's facility ☒ Installation earth electrode ☐

Details of Installation earth electrode (where applicable)

Type (e.g. rod(s), tape etc)

Location

Electrode resistance to earth Ω

Main Protective Conductors Material Csa (mm²)

Verified (connection / continuity)

Main Earthing Conductor COPPER 16

To water installation pipes ☒ To structural steel ☒

Protective Bonding Conductor COPPER 10

To gas installation pipes ☒ To lightning protection ☐

Supply Conductors COPPER 25

To oil installation pipes ☐ Other ☐

Main Switch / Switch-Fuse / Circuit Breaker / RCD

Location TOILET BS(EN) 60439 No. of Poles 2

Current rating 63 A Fuse/device rating or setting 63 A Voltage rating 230 V

If RCD main switch: Rated residual operating current $I_{\Delta n}$ = 37.5 mA Rated time delay 17.7 ms (at $I_{\Delta n}$)

Measured operating time at $I_{\Delta n}$ = 804 ms

Observations

Referring to the attached schedule of inspection and test results, and subject to the limitations at Section D.

☒ No remedial work required

The following observations are made

Explanation of codes

C1. Danger present. Risk of injury. Immediate remedial action required.

C2. Potentially dangerous. Urgent remedial action required.

C3. Improvement recommended.

F1. Further investigation required without delay

Item No. Observations

Code

1 MAIN INTAKE ~~TEST SHEET~~ INSPECTION SCHEDULE SECTION 5: 5.16 C3
2 MAIN INTAKE ~~TEST SHEET~~ INSPECTION SCHEDULE SECTION 5: 5.19, 5.20 C3

One of the above codes, as appropriate, has been allocated to each of the observations made above and/or any attached observation sheets to indicate to the person(s) responsible for the installation the degree of urgency for remedial action.

Note: For additional report page, use the continuation report form with the relevant serial number and page numbers detailed on each page.

C1 Immediate remedial work required for items

C2 Urgent remedial work required for items

C3 Improvement(s) recommended for items

F1 Further investigation required without delay

112

This form is based on the requirements of Appendix 6 of BS 7671

NAPIT Administration Centre, 4th Floor, Mill 3, Pleasley Vale Business Park, Mansfield, Nottinghamshire NG19 8RL

Sheet 2 of 2 NA/EICR/031 (V3)



NAPIT Main Intake & Associated Circuits Inspection Schedule

Requirements for Electrical Installations – BS 7671: 2008
incorporating Amendment No.3 2015 [IET Wiring Regulations 17th
Edition] Only for the reporting on the condition of an existing installation.
Please complete all the unshaded areas

NA/130126
EICR

Page 3 of 4

Schedule of Inspections

Outcomes

Acceptable condition: ✓	Unacceptable condition: State C1 or C2	Improvement recommended: C3	Further investigation: FI	Not verified: NV	Limitation: Lm	Not applicable: N/A
----------------------------	--	-----------------------------	---------------------------	------------------	----------------	---------------------

(In the Outcome column use the codes above. Provide additional comment where appropriate. C1/C2/C3 and FI coded items to be recorded in section K of the condition report)

Item No.	Description	Outcome
1.0	CONDITION / ADEQUACY OF DISTRIBUTOR'S / SUPPLY INTAKE EQUIPMENT	
1.1	Service cable	✓
1.2	Service head	✓
1.3	Distributors Earthing arrangements	✓
1.4	Meter tails –Distributor / Consumer	✓
1.5	Metering equipment	✓
1.6	Isolator	✓
2.0	Presence of adequate arrangements for parallel or switched alternative sources	
2.1	Adequate arrangements where a generator set operates as a switched alternative to the public supply (551.6)	N/A
2.2	Adequate arrangements where a generator set operates in parallel with the public supply (551.7)	N/A
3.0	AUTOMATIC DISCONNECTION OF SUPPLY	
	Main earthing / bonding arrangements (411.3; Chap 54)	
3.1	Presence of distributor's earthing arrangement (542.1.2.1, 542.1.2.2),	✓
3.1.2	or Presence of installation earth electrode arrangement (542.1.2.3)	✓
3.2	Adequacy of earthing conductor size (542.3; 543.1.1)	✓
3.3	Adequacy of earthing conductor connections (542.3.2)	✓
3.4	Accessibility of earthing conductor connections (543.3.2)	✓
3.5	Adequacy of main protective bonding conductor sizes (544.1)	✓
3.6	Adequacy and location of main protective bonding conductor connections (543.3.2, 544.1.2)	✓
3.7	Accessibility of all protective bonding connections (543.3.2)	✓
3.8	Provision of earthing / bonding labels at all appropriate locations (514.13)	✓
3.9	FELV requirement satisfied (411.7; 411.7.1)	N/A
4.0	OTHER METHODS OF PROTECTION (Where the methods listed below are employed details should be provided on separate sheets)	
4.1	Non-conducting location (418.1)	✓
4.2	Earth-free local equipotential bonding (418.2)	✓
4.3	Electrical separation (Section 413; 418.3)	✓
4.4	Double insulation (Section 412)	✓
4.5	Reinforced insulation (Section 412)	✓

Inspector's Name

Date

7/3/2016

Signature



NAPIT Main Intake & Associated Circuits Inspection Schedule

Requirements for Electrical Installations – BS 7671: 2008
Incorporating Amendment No.3, 2015 [IET Wiring Regulations 17th
Edition] Only for the reporting on the condition of an existing installation
Please complete all the unshaded areas

NA/ 130126
EICR

Page 4 of 4

Outcomes

Acceptable condition: ✓	Unacceptable condition: State C1 or C2	Improvement recommended: C3	Further investigation FI	Not verified NV	Limitation: Lim	Not applicable: N/A
----------------------------	--	-----------------------------	-----------------------------	--------------------	--------------------	------------------------

(In the Outcome column use the codes above. Provide additional comment where appropriate. C1/C2/C3 and FI coded items to be recorded in section K of the condition report)

Item No.	Description	Outcome
5.0	DISTRIBUTION EQUIPMENT	
5.1	Adequacy of Working space / accessibility to equipment (132.12, 513.1)	✓
5.2	Security of fixing (134.1.1)	✓
5.3	Condition of insulation of live parts (416.1)	✓
5.4	Adequacy / security of barriers (416.2)	✓
5.5	Condition of enclosure(s) in terms of IP rating etc (416.2)	✓
5.6	Condition of enclosure(s) in terms of fire rating etc (421.1.6; 421.1.201; 526.5)	✓
5.7	Enclosure not damaged / deteriorated so as to impair safety (621.2 (iii))	✓
5.8	Presence and effectiveness of obstacles (417.2)	✓
5.10	Presence of main switch(es), linked where required (537.1.2; 537.1.4)	✓
5.11	Operation of main switch(es) (functional check) (612.13.2)	✓
5.12	Manual operation of circuit-breakers and RCDs to prove disconnection (612.13.2)	✓
5.13	Confirmation that integral test button / switch causes RCD(s) to trip when operated (functional check) (612.13.1)	✓
5.14	RCD(s) provided for fault protection – Includes RCBOs (411.4.9, 411.5.2, 531.2)	✓
5.15	RCD(s) provided for additional protection where required – includes RCBOs (411.3.3, 415.1)	✓
5.16	Presence of RCD quarterly test notice at or near equipment, where required (514.12.2)	C3
5.17	Presence of diagrams, charts or schedules at or near equipment where required (514.9.1)	N/A
5.18	Presence of non-standard (mixed) cable colour warning notice at or near equipment where required (514.14)	N/A
5.19	Presence of alternative supply warning notice at or near equipment where required (514.15)	C3
5.20	Presence of next inspection recommendation label (514.12.1)	C3
5.21	Presence of other required labelling (Please specify) Section(514)	✓
5.22	Examination of protective device(s) and base(s); correct type and rating (no signs of unacceptable thermal damage, arcing or overheating)(411.3.2, 411.4.5.6; 432, 433)	✓
5.23	Single-pole switching or protective devices in line conductors only (132.14.1, 530.3.2)	✓
5.24	Protection against mechanical damage where cables enter equipment (522.8.1; 522.8.11)	✓
5.25	Protection against electromagnetic effects where cables enter ferromagnetic enclosures (521.5.1)	✓

Inspector's
Date

Signature



NAPIT Main Intake & Associated Circuits Inspection Schedule

Requirements for Electrical Installations – BS 7671: 2008
Incorporating Amendment No.3, 2015 [IET Wiring Regulations 17th
Edition] Only for the reporting on the condition of an existing installation
Please complete all the unshaded areas

NA/1 30126
EICR

Page 5 of 9

Outcomes

Acceptable condition: ✓	Unacceptable condition: State C1 or C2	Improvement recommended: C3	Further investigation FI	Not verified: NV	Limitation: Lim	Not applicable: N/A
----------------------------	--	-----------------------------	-----------------------------	---------------------	--------------------	------------------------

(In the Outcome column use the codes above. Provide additional comment where appropriate. C1/C2/C3 and FI coded items to be recorded in section K of the condition report)

Item No.	Description	Outcome
6.0	DISTRIBUTION CIRCUITS	✓
6.1	Identification of conductors (514.3.1)	✓
6.2	Cables correctly supported (522.8.5)	✓
6.3	Condition of insulation of live parts (416.1)	✓
6.4	Non-sheathed cables protected by enclosure in conduit, ducting or trunking (521.10.1)	✓
6.5	Suitability of containment systems for continued use (including flexible conduit) (Section 522)	✓
6.6	Cables correctly terminated in enclosures (Section 526)	✓
6.7	Confirmation that ALL conductor connections, including connections to busbars are correctly located in terminals and are tight and secure (526.1)	✓
6.8	Examination of cables for signs of unacceptable thermal or mechanical damage/deterioration (421.1; 522.6)	✓
6.9	Adequacy of cables for current-carrying capacity with regard for the type and nature of installation (Section 523)	✓
6.10	Adequacy of protective devices; type and rated current for fault protection (411.3)	✓
6.11	Presence and adequacy of circuit protective conductors (411.3.1.1; 543.1)	✓
6.12	Co-ordination between conductors and overload protective devices (433.1; 533.2.1)	✓
6.13	Cable installation methods, practices with regard to the type and nature of installation and external influences (Section 522)	✓
6.14	Where exposed to direct sunlight, cable of a suitable type (522.11.1)	N/A
6.15	Cables installed in prescribed zones (see extent and limitations) (522.6.202)	✓
6.16	Cables incorporating earthed armour or sheath, or run within earthed wiring system, or otherwise protected against mechanical damage caused by nails, screws and the like (see extent and limitations) (522.6.203; 522.6.204)	✓
6.17	Provision of additional protection by 30 mA RCD for cables concealed in walls (522.6.202; 522.6.203)	✓
6.18	Provision of fire barriers, sealing arrangements and protection against thermal effects (Section 527)	✓
6.19	Band II Cables segregated / separated from Band I cables (528.1)	N/A
6.20	Cables segregated / separated from non-electrical services (528.3)	N/A
6.21	Condition of circuit accessories (621.2 (iii))	✓
6.22	Suitability of circuit accessories for external influences (512.2)	✓
6.23	Single pole switching or protective devices in line conductors only (132.14.1; 530.3.2)	✓
6.24	Adequacy of connections, including cpcs, within accessories and to fixed and stationary equipment - identify/record numbers and locations of items inspected in (Section 526)	✓
6.25	Presence, operation and correct location of appropriate devices for isolation and switching (537.2)	✓
6.26	General condition of wiring systems (621.2(ii))	✓
6.27	Temperature rating of cable insulation (522.1.1; Table 52.1)	✓

Inspector's
Date

Signature



NAPIT Distribution Board Inspection Schedule

Requirements for Electrical Installations – BS 7671: 2008
Incorporating Amendment No.3, 2015 (IET Wiring Regulations 17th
Edition) Only for the reporting on the condition of an existing installation
For multiple distribution board installations.

NA / 30126
EICR

Page 6 of 9

Outcomes

Acceptable condition: ✓	Unacceptable condition: State C1 or C2	Improvement recommended: C3	Further investigation: FI	Not verified: NV	Limitation: Lim	Not applicable: N/A
----------------------------	--	-----------------------------	---------------------------	------------------	-----------------	---------------------

(In the Outcome column use the codes above. Provide additional comment where appropriate. C1/C2/C3 and FI coded items to be recorded in section K of the condition report)

DB ref **DB01** DB Location **TOILET**

Item No.	Description	Outcome
1.0	DISTRIBUTION BOARD	
1.1	Adequacy of Working space / accessibility to equipment (132.1.2; 513.1)	
1.2	Security of fixing (134.1.1)	
1.3	Condition of insulation of live parts (416.1)	
1.4	Adequacy / security of barriers (416.2)	
1.5	Condition of enclosure(s) in terms of IP rating etc (416.2)	
1.6	Condition of enclosure(s) in terms of fire rating etc (421.1.6; 421.1.201; 525.6)	
1.7	Enclosure not damaged / deteriorated so as to impair safety (521.2 (iii))	
1.8	Presence of isolator (537.1.2; 537.1.4)	
1.9	Operation of isolator (functional check) (612.13.2)	
1.10	Correct identification of circuit and protective devices (514.8.1; 514.9.1)	
1.11	Adequacy of protective devices: type and rated current for fault protection (411.3)	
1.12	Manual operation of circuit-breakers and RCDs to prove disconnection (612.13.2)	
1.13	Operation of integral test button / switch causes RCD(s) to trip (functional check) (612.13.1)	
1.14	RCD(s) provided for fault protection – includes RCBOs (411.4.9; 411.5.2; 531.2)	
1.15	RCD(s) provided for protection against fire (422.3.9; 705.422.7)	
1.16	Presence of RCD retest notice at or near distribution board where required (514.12.2)	
1.17	Presence of circuit schedule at or near distribution board where required (514.9.1)	
1.18	Non-standard (mixed) cable colour warning notice provided at or near distribution board where required (514.14)	
1.19	Alternative supply warning notice placed at or near distribution board where required (514.15)	
1.20	Next inspection recommendation label provided (514.12.1)	
1.21	Presence of other required labelling (Please specify) Section (514)	
1.22	Examination of protective device(s) and base(s), correct type and rating (no signs of unacceptable thermal damage, arcing and overheating) (411.1.3.2; 411.4.5.6) Section 432.433	
1.23	Single-pole switching or protective devices in line conductors only (132.14.1; 530.3.2)	
1.24	Protection against mechanical damage where cables enter distribution board (522.8.1; 522.8.11)	
1.25	Protection against electromagnetic effects where cables enter ferromagnetic enclosures (521.5.1)	

Inspector
Date

Signature



NAPIT Distribution Board Inspection Schedule

Requirements for Electrical Installations – BS 7671: 2008
Incorporating Amendment No.3, 2015 [IET Wiring Regulations 17th
Edition] Only for the reporting on the condition of an existing installation
For multiple distribution board installations.

NA/ 130126
EICR Page 7 of 9

Outcomes

Acceptable condition: ✓	Unacceptable condition: State C1 or C2	Improvement recommended: C3	Further investigation FI	Not verified NV	Limitation: Lim	Not applicable N/A
----------------------------	---	--------------------------------	-----------------------------	--------------------	--------------------	-----------------------

(In the Outcome column use the codes above. Provide additional comment where appropriate. C1/C2/C3 and FI coded items to be recorded in section K of the condition report)

Item No	Description	DB ref	DB Location	Outcome
2.0	CIRCUITS	DB01	701451	
2.1	Identification of conductors (514.3.1)			✓
2.2	Cables correctly supported throughout their run (522.8.5)			✓
2.3	Condition of insulation of live parts (416.1)			✓
2.4	Non-sheathed cables protected by enclosure in conduit, ducting or trunking (521.10.1)			✓
2.5	Suitability of containment systems for continued use (including flexible conduit) (Section 522)			✓
2.6	Cables correctly terminated in enclosures (Section 526)			✓
2.7	Confirmation that ALL conductors connections, including connections to busbars, are correctly located in terminals and are tight and secure. (526.1)			✓
2.8	Examination of cables for signs of unacceptable thermal or mechanical damage / deterioration (421.1; 522.6)			✓
2.9	Adequacy of cables for current-carrying capacity with regard for the type and nature of installation (Section 523)			✓
2.10	Adequacy of protective devices, type and rated current for fault protection (411.3)			✓
2.11	Presence and adequacy of circuit protective conductors (411.3.1.1; 543.1)			✓
2.12	Co-ordination between conductors and overload protective devices (433; 533.2.1)			✓
2.13	Wiring system(s) appropriate for the type and nature of the installation and external influences (Section 522)			✓
2.14	Cables concealed under floors, above ceilings, in wall partitions, adequately protected against damage (522.6.201; 522.6.203)			✓
2.15	Concealed cables installed in prescribed zones (see extent and limitations) (522.6.202)			✓
2.16	Cables incorporating earthed armour or sheath, or run within earthed wiring system, or otherwise protected against mechanical damage by nails, screws and the like (see extent and limitations) (522.6.202; 522.6.202; 522.6.204)			✓
2.17	Provision of additional protection by 30mA RCD			✓
2.17.1	Provision of additional protection by 30mA RCD used to supply mobile equipment not exceeding 32 A rating for use outdoors (411.3.3)			✓
2.17.2	* for all socket-outlets of rating 20 A or less provided for use unless exempt (411.3.3)			✓
2.17.3	* for cables concealed in walls at a depth of less than 50mm (522.6.203)			✓
2.17.4	* for cables concealed in walls / partitions containing metal parts regardless of depth (522.6.203)			✓
2.18	Provision of fire barriers, sealing arrangements and protection against thermal effects (527)			✓
2.19	Band II Cables segregated / separated from Band I cables (528.1)			✓
2.20	Cables segregated / separated from non-electrical services (528.3)			✓
2.21	Termination of cables at enclosures – identify numbers and locations of items inspected in Section D (526)			✓
2.21.1	Connections under no undue strain (526.6)			✓
2.21.2	No basic insulation of a conductor visible outside enclosure (526.8)			✓
2.21.3	Connections of live conductors adequately enclosed (526.5)			✓
2.21.4	Adequately connected at point of entry to enclosure (glands, bushes etc...) (522.8.5)			✓
2.22	Condition of accessories including socket outlets, switches and joint boxes (621.2 (iii))			✓
2.23	Suitability of accessories for external influences (521.2)			✓
2.24	Single pole switching or protection devices in line conductors only (132.14.1; 530.3.2)			✓
* Note, older installations designed prior to BS7671:2008 may not have been provided with				

Inspector's Name

Signature

Date



NA/ 130126
EICR

Page 8 of 9

Acceptable condition: ✓	Unacceptable condition: <i>State C1 or C2</i>	Improvement recommended: C3	Further investigation FI	Not verified NV	Limitation Lim	Not applicable N/A
----------------------------	---	------------------------------------	------------------------------------	---------------------------	--------------------------	------------------------------

DB ref PRG

DB Location: 701157

Outcome

3.1 Isolators (537.2)

- | | |
|-------|--|
| 3.1.1 | Presence and condition of appropriate devices (537.2.2) |
| 3.1.2 | Acceptable location – state if local or remote from equipment in question (537.2.1.5) |
| 3.1.3 | Capable of being secured in the OFF position (537.2.1.2) |
| 3.1.4 | Correct operation verified (612.13.2) |
| 3.1.5 | Clearly identified by position and /or durable marking(s) (537.2.2.6) |
| 3.1.6 | Warning label posted in situations where live parts cannot be isolated by the operation of a single device (514.11.1, 537.2.1.3) |
| 3.2 | Switching off for mechanical maintenance (537.3) |
| 3.2.1 | Presence and condition of appropriate devices (537.3.1.1) |
| 3.2.2 | Acceptable location – state if local or remote from equipment in question (537.3.2.4) |
| 3.2.3 | Capable of being secured in the OFF position (537.3.2.3) |
| 3.2.4 | Correct operation verified (612.13.2) |
| 3.2.5 | Clearly identified by position and /or durable marking(s) (537.3.2.4) |
| 3.3 | Emergency switching / stopping (537.4) |
| 3.3.1 | Presence and condition of appropriate devices (537.4.1.1) |
| 3.3.2 | Readily accessible for operation where danger might occur (537.4.2.5) |
| 3.3.3 | Correct operation verified (537.4.2.6) |
| 3.3.4 | Clearly identified by position and /or durable marking(s) (537.4.2.7) |
| 3.4 | Functional switching (537.5) |
| 3.4.1 | Presence and condition of appropriate devices (537.5.1.1) |
| 3.4.2 | Correct operation verified (537.5.1.3, 537.5.2.2) |

4.1 Condition of equipment in terms of IP rating etc (416.2)

- | | |
|-------|--|
| 4.1 | Condition of equipment in terms of IP rating etc (416 2) |
| 4.2 | Equipment does not constitute a fire hazard (Section 421) |
| 4.3 | Enclosure not damaged/deteriorated so as to impair safety (621.2 (iii)) |
| 4.4 | Suitability for the environment and external influences (512 2) |
| 4.5 | Security of fixing (134.1.1) |
| 4.6 | Cable entry holes in ceiling above luminaires, sized or sealed so as to restrict the spread of fire |
| 4.7 | List number and location of luminaires inspected. (separate page) |
| 4.7.1 | Recessed luminaires (downlighters) |
| 4.7.2 | Correct type of lamps fitted |
| 4.7.3 | Installed to minimise build up of heat by use of "fire rated" fittings, insulation displacement box or similar (421.1.2) |
| 4.7.4 | No signs of overheating to surrounding building fabric (559 5.1) |
| 4.7.5 | No signs of overheating to conductors / terminations (526.1) |

5.1 List special locations present, if any. List the results of particular inspections applied. A separate page is required for each location.

Inspector's Name

Date _____

Signature

This form is based on the requirements of Appendix 6 of BS 7671
NABIT Administration Centre

NAPIT Administration Centre, 4th Floor, Mill 3, Pleasley Vale Business Park, Mansfield, Nottinghamshire NG19 8RL

Sheet 3 of 3 NA/DB/001(V3)

Copyright © 2011 January 2011



Please complete all the unshaded areas.

Client **LI ZHOU**

Complete in every case

Location of distribution board

Distribution board designation

Number of ways

Installation address **1 WHITES ROW SPITFELFIELDS LONDON**

Complete only if the distribution board is not connected directly to the origin of the installation

Supply to distribution board is from

Overcurrent protective device for the distribution circuit.

Type BS(EN)

Supply polarity confirmed

Nominal Voltage

Rating

Phase sequence confirmed

No. of phases

Rating

Operating times of

associated RCD (if any)

ms

ms

Associated RCD (if any) BS(EN)

RCD No. of Poles

mA

Insulation resistance

Continuity

Test instrument serial number(s)

Earth fault loop impedance

Postcode **E1 7UF**

CIRCUIT DETAILS

TEST RESULTS

Circuit No and line No	Circuit designation	Type of wiring	Ref method	No of points served	Live (mm ²)	CPC (mm ²)	Maximum disconnection time (BS 7871) (s)	BS EN Number	Type	Rating	Switching Capacity	RCD operating current I _{Δn}	BS 7871 Max permitted value I _{Δn} (mA)	Circuit impedance Z _s			Insulation resistance (Record lower reading)			Test Button operation				
														R ₁	R ₂	Z _s	Live (MΩ)	Live (MΩ)	Earth (MΩ)		Live (MΩ)	Live (MΩ)	at 500V	at 500V
1	RECEPTION LIGHT	1 C	8	1.5	1.0	0.4	60898	B	6	6	30	0.14	0.14	0.56	0.56	0.56	>200	>200	>200	>200	>200	29.1	29.1	✓
2	RECEPTION LIGHT	1 C	6	1.5	1.0	0.4	60898	B	6	6	30	0.14	0.14	0.83	0.83	0.83	>200	>200	>200	>200	>200	29.1	29.1	✓
3	FIRE ALARM	1 C	4	2.5	1.5	0.4	60898	B	16	6	30	0.30	0.30	0.33	0.33	0.33	>200	>200	>200	>200	>200	29.1	29.1	✓
4	RECEPTION SKT	1 C	4	2.5	1.5	0.4	60898	B	32	6	30	0.15	0.15	0.24	0.24	0.24	>200	>200	>200	>200	>200	29.1	29.1	✓
5	Room 2 SKT	1 C	3	2.5	1.5	0.4	60898	B	20	6	30	0.84	0.84	0.28	0.28	0.28	>200	>200	>200	>200	>200	29.1	29.1	✓
6	ROOM KITCHEN HEAT	1 C	1	2.5	1.5	0.4	60898	B	20	6	30	0.84	0.84	0.52	0.52	0.52	>200	>200	>200	>200	>200	29.1	29.1	✓
7	HALLIN DOWN HEAT	1 C	1	2.5	1.5	0.4	60898	B	20	6	30	0.84	0.84	0.38	0.38	0.38	>200	>200	>200	>200	>200	29.1	29.1	✓
8	BATHROOM HEAT	1 C	1	10	4	0.4	60898	B	40	6	30	0.92	0.92	0.11	0.11	0.11	>200	>200	>200	>200	>200	17.9	17.9	✓
9	KITCHEN SKT	1 C	4	2.5	1.5	0.4	60898	B	32	6	30	0.15	0.15	0.40	0.40	0.40	>200	>200	>200	>200	>200	17.9	17.9	✓
10	Room 12, 3, 4 SKT	1 C	12	2.5	1.5	0.4	60898	B	32	6	30	0.15	0.15	0.24	0.24	0.24	>200	>200	>200	>200	>200	17.9	17.9	✓
11	Room 1, 2, 10, 11, 12	1 C	18	1.5	1.0	0.4	60898	B	6	6	30	0.14	0.14	1.15	1.15	1.15	>200	>200	>200	>200	>200	17.9	17.9	✓
12	Room 3, 4, 10, 11, 12	1 C	20	1.5	1.0	0.4	60898	B	6	6	30	0.14	0.14	1.09	1.09	1.09	>200	>200	>200	>200	>200	17.9	17.9	✓
13	Room 3, 4, 10, 11, 12	1 C	20	1.5	1.0	0.4	60898	B	6	6	30	0.14	0.14	1.09	1.09	1.09	>200	>200	>200	>200	>200	17.9	17.9	✓

Details of circuits and/or installed equipment vulnerable to damage when testing

Wiring Types 1 = PVC/PVC 2 = Single insulated in conduit or trunking 3 = Mineral Insulated 4 = SWAXPLE 5 = FP200 6 = Other

Tested by: Name (capital letters)

Position

ELECTRICIAN

Date(s)

7/3/2016

Signature



NAPIT Fire Detection and Alarm System Inspection and Servicing Report

Requirement for BS:5839-1: 2002 + A2: 2008
Please complete all the unshaded areas.

Page 1 of 4

Details of the installation for the fire alarm system which the certificate of servicing is being issued

Client Redbud London Ltd
Address 1 Whites Row
London

Installation (if different from client)
Address

Postcode E1 7NF

Postcode

2 Details of the installation System category LD2

Details of the Fire Detection System:

4 Zone Fire Alarm Panel with mains supply and battery back
Zone 1: Ground Floor
Zone 2: Basement

3 Extent of the installation and limitations of the inspection and servicing

Extent of the fire detection and alarm system covered by this report:

All fire escape route and all rooms adjoining to the escape route including:

- 1, Ground Floor reception, massage room 1, 2, 3, 4, hall way
- 2, Basement unit - staff changing room
- 3, Basement staff break room, utility room/tea room

Variations from the recommendations of Clause 45 of BS 5839-1: 2002 for periodical or annual inspection and test (as applicable)

None

Continue on additional numbered pages as required. Page of pages

4 Certificate of servicing for the fire alarm system as indicated in section 1

I/We being the competent person(s) responsible (as indicated by my/our signature(s) below) for the inspection and servicing of the fire alarm system, particulars of which are set out above, Certify that the said work for which I/we have been responsible complies to the best of my/our knowledge and belief with the recommendations of Clause 45 of BS 5839-1: 2002, quarterly inspection of vented batteries/periodic inspection and test/inspection and test over a 12 month period (delete as applicable) except for the variations, if any, stated in this report.

I/We further declare that in my/our judgement, the said system was overall in (tick appropriate box) ☐ a satisfactory ☐ an unsatisfactory condition at the time the inspection and servicing was carried out, and that it should be further inspected as recommended.

The extent of liability of the signatory is limited to the system described in section 3:

Company (CAPITALS):

Address:

Member N

Name (CAPITALS)

Signature:

Position: Inspection Engineer

Date: 25 April 2018

© Copyright NAPIT July 2005



NAPIT *Fire Detection and Alarm System* Inspection and Servicing Report

Requirement for BS:5839-1: 2002 + A2: 2008
Please complete all the unshaded areas

Page 3 of 4

5 Non compliances for actions to be taken

Referring to the attached schedules of inspection and testing results, and subject to the limitations at 3:

- ☒ There are no items adversely affecting operational performance of the fire detection and alarm system
☐ The following non compliances have been found and require rectification

Item no.

Urgent remedial work recommended for items:

Corrective action(s) recommended for items:

6 Summary of inspection and servicing All boxes must be completed

General condition of the fire detection and alarm system:

Date(s) of the inspection and servicing

- ☒ Outstanding defects reported to responsible person
☒ Relevant details of the work carried out and faults identified have been entered in the system log book (see Clause 40.2)

During the past 12 months 1 false alarms have occurred.

This number of false alarms equates to false alarms per 100 automatic fire detectors per annum 0.1

For category M systems enter 'Not applicable'

7 Next inspection and servicing

Based upon risk assessment, taking into account the type of system and the environment, I recommend that the fire detection and alarm, details of which are given on page 1 of this certificate, is inspected and serviced after period not exceeding

12 weeks/months (Enter a period not exceeding 6 months)



NAPIT Fire Detection and Alarm System Inspection and Servicing Report

Requirement for BS:5839-1: 2002 + A2: 2008
Please complete all the unshaded areas

Page 3 of 4

8 Schedule of Items Inspected

Premises

- ☒ Manual call points suitably sited
- ☒ Manual call points are unobstructed
- ☒ Manual call points are conspicuous
- ☒ All exits, including any new exits, have manual call points
- ☒ Automatic fire detectors suitable for building use or occupancy
- ☒ Automatic fire detectors suitably sited
- ☒ No partitions within 500mm horizontally of any automatic fire detector (Clause 22.3g)
- ☒ Clear space of 300mm of ceilings (Clause 22.3i)
- ☒ Clear space of 500mm exists below each automatic fire detector (Clause 22.3n)
- ☒ Each automatic fire detector's ability to receive the stimulus it is designed to detect has not been impeded by any other means
- ☒ Building use or occupancy does not make existing types of automatic fire detector unsuitable for detection of fire or prone to unwanted alarms

☐ Additional fire detection and alarm equipment provided in any extensions or alterations to the building

Documentation

- ☒ System log book examined
- ☒ Any faults recorded have been attended to

False alarms

- ☒ Record of false alarms checked in accordance with Clause 30.2i
 - ☒ Rate of false alarms during the previous 12 months recorded (Clause 30.2j)
 - ☒ Action taken in respect of false alarms complies with the recommendations of Clause 30.2i
- Continue on additional numbered pages as required

9 Summary of inspection and servicing All boxes must be completed

- ☒ Control Indicating Equipment checked by operation of at least one detector or manual call point in each circuit device(s) used shall be recorded and different devices used for next tests
- ☒ Operation of fire alarm devices
- ☒ Controls and visual indicators at CIE checked for correct operation
- ☒ For CIE, manufacturers' checks and test performed
- ☒ Fault indicators and their circuits checked by simulation of fault conditions
- ☐ Automatic transmission of alarm signal to receiving centre
- ☐ Automatic transmission of other signals, such as fault signals to receiving centre
- ☐ Radio systems serviced in accordance with manufacturer's recommendations

- ☐ For other equipment, manufacturer's checks and tests performed
- ☐ Printers checked for correct operation
- ☐ Printers checked that characters are legible
- ☐ Printer consumables available in sufficient quantity to ensure operation until next service visit
- ☒ Standby battery disconnected and full load alarm simulated
- ☐ Quarterly checks carried out on vented batteries
- ☐ Specific gravity of each cell of vented batteries checked
- ☐ Mains disconnected and batteries momentarily load tested (other than those within devices such as manual call points, detectors and fire alarms sounders of a radio linked system)

10 Arrangements in place for repair of faults or damage All boxes must be completed

- ☒ Emergency call out arrangement in place where maintenance carried out by a third party
- ☒ Name and telephone number of any third party responsible for maintenance prominently displayed at main CIE
- ☒ Records and documentation give information on maintenance arrangements (see Clause 40)
- ☒ User records faults or damage in log book
- ☒ User arranges for repairs to be carried out as soon as possible
- ☒ Automatic transmission of alarm signal to receiving centre

✓ Indicates that an inspection or a test was carried out and the result was satisfactory
✗ Indicates that an inspection or a test was carried out and the result was unsatisfactory

N/A indicates that an inspection or test was Not Applicable

© Copyright NAPIT July 2005



NAPIT Fire Detection and Alarm System Inspection and Servicing Report

Requirement for BS:5839-1: 2002 + A2: 2008
Please complete all the unshaded areas.

Page 4 of 4

11

Over a 12 month period – schedule of items inspected All boxes must be completed

Premises

- ☒ Automatic fire detectors unpainted
- ☒ Automatic fire detectors undamaged
- ☒ Visual fire alarm devices not obstructed
- ☒ Lenses of visual fire alarm devices are clean
- ☒ Readily-accessible cable fixings secure

☒ Readily accessible cable fixings undamaged

Documentation

- ☒ System log book examined
- ☒ Cause and effect programme confirmed as being correct

12

Over a 12 month period – schedule of items tested All boxes must be completed

- ☒ Switch mechanism of every manual call point
- ☒ Fire alarm devices checked for correct operation
- ☒ Automatic fire detectors functionally tested, including heat detectors, point smoke detectors, optical beam smoke detectors, aspirating fire detection systems, carbon monoxide fire detectors, flame detectors and multi-sensor detectors
- ☒ All unmonitored, permanently-illuminated filament lamp indicators at CIE replaced

- ☒ CIE manufacturer's annual checks and tests carried out
- ☒ Radio signal strengths checked for adequacy
- ☒ For fire detection systems that enable analogue values to be determined it should be confirmed that each analogue value is within the range specified by the manufacturer
- ☒ Standby power supply capacity checked
- ☒ Checks recommended by manufacturers of other components of system carried out

13

Additional checks upon change of servicing organisation All boxes must be completed

- ☒ Adequate number of call points (Clause 20.2)
- ☒ Adequate provision of fire detection for the category of system
- ☒ Sound pressure levels comply with Clause 16.2
- ☒ Changes in use, layout or construction of the premises have not reduced system effectiveness
- ☒ Cabling had fire resistance complying with Clause 26.2
- ☒ Circuits monitored in compliance with Clause 12.2
- ☒ Requirements of BS7671 are met (Clause 29)
- ☒ Standby power supplies provided
- ☒ Standby power supplies comply with Clause 25.4
- ☒ Exposure to false alarms is not excessive (see Section 3 of 5839)
- ☒ Experience of false alarms is not excessive (see Section 3 of 5839)
- ☒ Existing records checked
- ☒ Log book available. (If not available, a suitable log book should be provided by the servicing organisation). (see Clause 48.2)

14

Related reference documents

Design specification ref no.	Date issued	Fire alarm commissioning certificate no.	Date issued
Design drawings ref nos.	Date issued	Fire alarm verification no.	Date issued
'As Fitted' drawing nos.	Date issued	Operating and maintenance instructions	Date issued
Electrical installation certificate no.	Date issued	Previous inspection and servicing report	Date issued
Fire alarm design certificate no.	Date issued	Log book	Date issued
Fire alarm installation certificate no.	Date issued	Other	Date issued


- ☒ indicates that an inspection or a test was carried out and the result was satisfactory
- ☒ indicates that an inspection or a test was carried out and the result was unsatisfactory

N/A indicates that an inspection or test was Not Applicable



THE ASSOCIATION
OF
TRADITIONAL CHINESE MEDICINE AND ACUPUNCTURE UK

This is to certify that



having been admitted as a Full Member of
the Association of Traditional Chinese Medicine and Acupuncture UK,
is qualified to practise Traditional Chinese Medicine
including Chinese Herbal Medicine, Acupuncture and Tuina therapy.

*All registered members of the Association are bound by
The Code of Practice and the Code of Professional Conduct
of the Association to uphold the highest standard of Chinese Medicine.*

Registration No:



President:



Registrar:



Renewed on: **02nd February 2015**



Association Of Traditional Chinese Medicine and Acupuncture UK

Devised & arranged by BALENS and underwritten by Zurich Insurance plc (ZIP) in accordance with the authority granted.

CERTIFICATE OF INSURANCE POLICY NUMBER [REDACTED]

1. **The Insured:** [REDACTED]
2. **Postal Address:** 1 Whites Row, London E1 7NF
3. **Limit of Indemnity:** £6,000,000 Any one claim per section of cover and unlimited number of claims during the period of insurance. Defence costs in addition.
4. **Policy Cover:** Claims made in relation to the Insured's Practice or Business as per proposal or declaration submitted, or as otherwise advised in respect of work performed prior to the expiry date of the policy and subject to policy terms and conditions.
(I) Malpractice, Good Samaritan Acts and First Aid (II) Breach of Professional Duty (I) Professional Indemnity (II) Public Liability (III) Products Liability. Various other extensions to apply as per policy document.
5. **Excess:** NIL
6. **Retroactive Date:** Unlimited cover for previously insured work performed as per extension's endorsement 4 & 4a in policy wording.
7. **Period of Insurance:** Jul 31 2018 until Feb 28 2019 (both dates inclusive)
8. **Premium:** Premium: £65.25
Insurance Premium Tax: £7.83
Total: £73.08
9. **Jurisdiction:** United Kingdom
10. **Territorial Limits:** Great Britain, Northern Ireland, Isle of Man and Channel Islands. Cover is extended worldwide for temporary trips abroad excluding USA and Canada unless otherwise agreed.
11. **Notice of Claim to:** Balens Ltd, Bridge House, Portland Road, Malvern, Worcs. WR14 2TA
12. **Activities / Therapies covered:** Acupuncture and Traditional Chinese Medicine
13. **Help Line:** 01684 893 006
14. **Conditions:**

This Certificate of Insurance is issued for and on behalf of Zurich Insurance plc (herein called "the Insurers") in consideration of the payment of the Premium the Insurers will indemnify the Insured in accordance with the terms, conditions and limitations of Policy, (herein called "the Policy") which are incorporated herein (a copy of the Policy is available on request).
Certificate issued at Malvern 15 August 2018 by BALENS

Signed



Zurich Insurance plc

A public limited company incorporated in Ireland. Registration No. 13460
Registered Office: Zurich House, Ballsbridge Park, Dublin 4, Ireland
UK Branch registered in England and Wales Registration No. 587985

UK Branch Head Office: The Zurich Centre, 3000 Parkway, Whiteley, Fareham, Hampshire PO15 7JZ

Zurich Insurance plc is authorised by the Central Bank of Ireland and authorised and subject to limited regulation by the Financial Conduct Authority. Details about the extent of our authorisation by the Financial Conduct Authority are available from us on request. These details can be checked on the FCA's Financial Services Register via their website www.fca.org.uk or by contacting them on 0800 111 5768. Our FCA Firm Reference Number is 203093.



[REDACTED]
has satisfied the requirements for the qualification

VTCT Level 3 Certificate in Thai Massage (QCF)

[REDACTED]
at

Benjawan Thai Massage

Date: 17/09/2015

Registration No: [REDACTED]

The award of this qualification is based on the successful attainment of the National Standards in units of competence as detailed on a Record of Achievement and/or one of more Certificates of Unit Credit.

[REDACTED]
Chief Executive



Registered in England and Wales number 2050044
Registered as a national charity in Great Britain number 295192

The regulatory logos on this certificate indicate the qualification is accredited for England and Wales.

Vtct

Regulated by

Ofqual

For more information see vtct.org.uk or www.ofqual.gov.uk



Llywodraeth Cymru
Welsh Government



SECURITY BY DESIGN

00620503



27 Old Gloucester Street London WC1N 3XX

E-mail: enquiries@apnt.org

16 July 2018

Dear [REDACTED]

Thank you for your APNT renewal and continuing support for the association.

Please find your new APNT membership / BCMA licence enclosed. Your previously issued APNT Membership and BCMA registration certificates remain valid when accompanied by the enclosed card.

Your insurance documents will follow directly from Holistic Insurance Services (by email) and should be with you shortly.

Please don't hesitate to contact me if there is any change in your circumstances which may affect your membership and Insurance cover or you have any other queries regarding your APNT Membership.

With best wishes,

[REDACTED]

Treasurer and Membership Co-ordinator

=====


Received From

16/07/18

The Sum of **£176.00**
For Association Fees

Treasurer

[REDACTED]



BEAUTY CREATION TRAINING
TRAIN TODAY FOR A NEW TOMORROW


This is to certify that



Has attended an approved course of training and
has satisfied the Training Director that the
standards required have been achieved. They
have been awarded this certificate in recognition of
their achievements

Full Body Massage
Level Three

For Beauty Creation Training



Managing Director



5th March 2017

Salon Gold Freelancers


CERTIFICATE OF PUBLIC LIABILITY INSURANCE

Issued in accordance with the authorisation granted to Salon Gold (Henry Seymour & Co) as representatives of Certain Underwriters at Lloyd's of London under a binding authority agreement to administer the business.

Policy Number:



Name of Insured:



Business Description: Beauty Therapist,

Cover Operative From: 14/06/2018 **To:** 13/06/2019


The details of the Policy outlined below are a summary of the Public Liability Sub Section cover only. A copy of the Policy Wording setting out the terms and conditions of the Policy can be obtained from Salon Gold (Henry Seymour and Co.)

PUBLIC LIABILITY Sub Section

Limit of Indemnity: £3,000,000

Excess: £50 (third party property damage)

Signed on behalf of those Lloyd's Underwriters subscribing to the above policy



Signed for and on behalf of the Underwriters
Dean Laming Managing Director – Salon Gold



has satisfied the requirements for the qualification

VTCT Level 3 Certificate in Thai Massage



at

Fami Hair and Beauty Institute

Date: 15/05/2017

Registration No: 

The award of this qualification is based on the successful attainment of the National Standards in units of competence as detailed on a Record of Achievement and/or one of more Certificates of Unit Credit.



Chief Executive



Registered in England and Wales number 2050044
Registered as a national charity in Great Britain number 295192

The regulatory logos on this certificate indicate the qualification is accredited for England and Wales.

Vtct

regulated by
Ofqual
For more information visit <http://register.ofqual.gov.uk>



00684119






BEAUTY CREATION TRAINING
TRAIN TODAY FOR A NEW TOMORROW

This is to certify that




**Has attended an approved course of training and
has satisfied the Training Director that the
standards required have been achieved. They
have been awarded this certificate in recognition of
their achievements**

Full Body Massage
Level Three



For Beauty Creation Training



Managing Director



Date: 22 October 2016

CONFIRMATION OF INSURANCE

Towergate Health & Beauty

CERTIFICATE NUMBER: [REDACTED]

PERIOD OF INSURANCE: 4th April 2018 TO: 3rd April 2019

THE INSURED: [REDACTED]

Insurance Cover Applicable: Beauty, Hair and Nails

An indemnity limit of £5,000,000 applies in respect of any one occurrence or series of occurrences for Public Liability but in all, in any period of insurance for Professional Treatment Liability.

The insurance provides cover for the above named individual and is not transferable.

Territorial Limits: Great Britain, Northern Ireland, The Channel Islands and The Isle of Man.

Policy terms and conditions, including limitations and exclusions apply. Please contact us for a copy of the policy.

Authorised Signatory:

[REDACTED]
Towergate Health and Beauty

Date: 06 April 2018

This document is evidence of insurance when signed by an authorised person and premium paid. Cover is provided by AXA Insurance UK plc and arranged by Towergate Coversa. Towergate Health and Beauty and Towergate Coversa are trading names of Towergate Underwriting Group Ltd, who are authorised and regulated by the Financial Conduct Authority. Towergate Health and Beauty, 26-28 Pembroke Road, Sevenoaks Kent TN13 1XA (Tel: 0344 892 1602)



theguild
of Beauty Therapists

This is to certify that

[REDACTED]

has been accepted as a

Full

**Member of The
Guild of Beauty Therapists**

and is hereby eligible to use
the designated title of

M G B T

Membership No. 103076

Valid From: 26/11/2018

Valid To: 25/11/2019

Signed

[REDACTED]

Lynne Archer.
Director of the Guild of Holistic Therapists



Shen Mantra
For natural health, healing and living


This is to certify that



*Has successfully completed our training course
and is hereby awarded the Certificate in*

DEEP TISSUE FUSION

16th of December 2018, London, U.K.



Fr
Director & Master Trainer

Shen Mantra Trainer



**APPROVED
Training Provider**
Approved by the International Institute
for Complementary Therapies

CTHA

Complementary Therapists Association



VTCT

VTCT Level 3 NVQ Diploma in Beauty Therapy Massage (QCF)

Grade

Pass

is awarded to



who attended

West London School of Beauty



Alan Woods OBE
Chief Executive

The award of this qualification is based on the successful attainment of one or more components/units of credit as detailed on the accompanying transcript.



**European
Qualifications
Framework**



00784660



VTCT

[REDACTED]

has achieved the following component(s) from within the qualification

VTCT Level 3 NVQ Diploma in Beauty Therapy Massage (QCF)

Unit reference	Component	Level	Credit(s)
Y/601/5875	Monitor procedures to safely control work operations	3	4
R/600/1277	Contribute to the planning and implementation of promotional activities	3	5
A/600/7462	Provide body massage treatments	3	10
D/600/7504	Provide Indian head massage	3	7
K/600/7523	Carry out massage using pre-blended aromatherapy oils	3	8
J/600/7545	Provide stone therapy treatments	3	10
R/600/7533	Provide self-tanning services	3	3
T/600/1272	Contribute to the financial effectiveness of the business	3	4

[REDACTED]

Chief Executive

[REDACTED]



00806632

Accredited
Massage
Courses

Diploma

Awarded to



who has successfully completed a course in

Pregnancy Massage (5 CPD Points)



Signed: _____
Robert Donkers, Director

Date: 31 January 2016

This course is accredited by:



Accredited Massage Courses Ltd, 46 Umfreville Road, London N4 1SB
020 8340 7041 info@accreditedmassagecourses.co.uk www.accreditedmassagecourses.co.uk

Therapy - General
500/8765/4

City
Guilds

is awarded to



This holder has a number of formal
Unit Credits by which this Award was
achieved


Regulated by

Ofqual

For more information see <http://reg.gov.uk/qual.gov.uk>



Awarded 26 July 2011



REPLACEMENT

Chris Jones

Chris Jones
Director-General
The City and Guilds of London Institute

Kirstie Donnelly

Kirstie Donnelly MBE
Group Director
City & Guilds



The City and Guilds of London Institute is the awarding body / awarding organisation for City & Guilds qualifications.
The Institute was founded in 1878 and granted Royal Charter in 1900.
City & Guilds is a City & Guilds Group business.

Awarded by



The City and Guilds
of London Institute

Level 2 NVQ Diploma in Beauty Therapy - General with Evolve



is awarded to



who was successful in the following 10 modules

Level 3 Ensure responsibility for actions to reduce risks to health and safety (G20) (4 credits)	A/601/5867	Pass
Level 2 Provide facial skin care treatment (B4) (8 credits)	M/600/8754	Pass
Level 2 Enhance the appearance of eyebrows and lashes (B5) (5 credits)	H/600/7455	Pass
Level 2 Carry out waxing services (B6) (7 credits)	Y/600/9087	Pass
Level 2 Provide make-up services (B8) (6 credits)	F/600/8936	Pass
Level 2 Fulfil salon reception duties (G4) (3 credits)	Y/600/1264	Pass
Level 2 Promote additional services or products to clients (G1B) (6 credits)	D/601/0936	Pass
Level 2 Develop and maintain your effectiveness at work (G8) (3 credits)	M/600/1268	Pass
Level 2 Provide manicure services (N2) (6 credits)	Y/600/7551	Pass
Level 2 Provide pedicure services (N3) (6 credits)	H/600/8766	Pass

Regulated by

Ofqual

For more information see <http://reg.mof.gov.uk>



Awarded 26 July 2011



REPLACEMENT



Director-General
The City and Guilds of London Institute

Group Director
City & Guilds



The City and Guilds of London Institute is the awarding body / awarding organisation for City & Guilds qualifications. The Institute was founded in 1878 and granted Royal Charter in 1900. City & Guilds is a City & Guilds Group business.

Awarded by



The City and Guilds
of London Institute

DECLÉOR | SKIN · BODY · MIND
PARIS



has been awarded this certificate for
exceptional achievement in the DECLÉOR

AROMA BLEND

on 13 / 03 / 2017



Director of Training & Education

